

**opk** SYSTEM

Sliding Door & Window  
System Expert

**CATALOGUE**

***opk PERFECT SYSTEM***

**WELL THOUGHT  
OUT DOWN  
TO THE LAST DETAIL  
FOR A SUPERIOR USER  
EXPERIENCE**





An outstanding user experience combined with real added value for retailers and fabricators have made OPK Europe one of the relevant players in the furniture and building hardware segment in a short space of time - and throughout Europe.

The development of a sliding door marks the beginning of OPK's success story. Step by step, this DNA has given rise to a unique portfolio of the most diverse sliding door solutions, all of which have one thing in common: OPK products are well thought out down to the smallest detail and stand for exceptional quality and maximum comfort.

All products are created in our own development departments. OPK Europe GmbH, based in Germany, develops and distributes country-specific product modifications for the European market.

OPK EUROPE GMBH  
Antwerpener Straße 4a,  
D-53842 Troisdorf  
Germany  
[info@opk-europe.com](mailto:info@opk-europe.com)  
[www.opkeurope.com](http://www.opkeurope.com)

# OUR SUCCESS STORY: ADVANCEMENT THROUGH INNOVATION AND COMMITMENT.

**2007**

OPK brand is registered and the logo becomes a trade-mark for sliding door fittings with soft closing devices.



**1996**

The company is established in Chengdu, Sichuan Province.



**2000**

New production processes require more space. OPK plant is relocated in Xiaolan Town, Zhongshan City.



**2006**

Development of new product line. OPK becomes an important player in the market for sliding systems.



## 2014

With over 1,200 employees and more than 50,000 sqm of operating space, OPK is one of the leading companies in sliding door systems.

## 2019

OPK shows at the Interzum 2019 in Cologne Innovations in opk E-Space and opk Spaceship 80 / 160 construction fittings. OPK présente au salon Interzum 2019 à Cologne.



## 2018

OPK Europe celebrates the opening of the Horb am Neckar location in June 2018.

## 2023


OPK at Interzum 2023 with the latest trends for sliding door systems.

## 2011


OPK becomes one of the largest manufacturers of sliding doors systems worldwide.


# TYPES OF APPLICATION FOR opk PERFECT SYSTEM

# SLIDING DOOR OPTIONS




## Eight Applications of the opk Perfect System







## INTRODUCTION of THE opk PERFECT SYSTEM




*Top Loading*




*Bottom Loading*




*Electric Smart System*




*Manual Operation System*



*Surface Mounting*



*Concealed Mounting*



*Full Door-opening Cover Mounting*

## FIVE TYPES OF DOOR PANEL SYSTEM



# opk PERFECT 1 DOOR

## Content

**opk PERFECT 1 DOOR**

**Technical Drawing**

**FG/W/FW/FD Fitting Configuration**

**W/FW/FD Fitting Configuration**














**Track Configuration**

**Door Frame Configuration**

**Tracks, Accessories**

**Door, Accessories**








		 ≥600mm
		 FG 40mm W 35-40mm FW 46.5mm FD 46.5mm
		
 80 kg		 FG 8-11mm FW 5mm FD 5mm
		

# opk PERFECT FG1 DOOR



	Door weight	Door width	Door thickness	Glass thickness
FG	≤80	≥600	40	8-11

## Technical Drawing




# opk PERFECT W/FW/ FD 1 DOOR




	Door weight	Door width	Door thickness	Glass/Wooden thickness
W	≤80	≥600	35-40	-
FW	≤80	≥600	46.5	5
FD	≤80	≥600	46.5	5




## Technical Drawing



**SURFACE MOUNTING**



**CONCEALED MOUNTING**







# opk PERFECT FG1 DOOR



## Fitting Configuration



Wall  
Mounting  
Single  
Door

Top  
Mounting  
Single  
Door

Single Door Set		04-000-101-001	1	1
-----------------	--	----------------	---	---

# opk PERFECT W/FW/ FD 1 DOOR



## Fitting Configuration



Wall  
Mounting  
Single  
Door

Top  
Mounting  
Single  
Door

Single Door Set		04-001-117-001	1	1
Hanging Bracket For Wooden Door		04-W00-102-003	1	1

# opk PERFECT FG/W1 DOOR



## WALL MOUNTING

### Track Configuration



Wall  
Mounting  
Single  
Door

Top  
Mounting  
Single  
Door

Wall Mounting Track Kit		2500mm	04-004-102-025	1	0
		4000mm	04-000-102-240		
Wall Mounting Track End Cover		04-000-103-004		1	0

# opk PERFECT FG/W/ FW/FD 1 DOOR



## SURFACE MOUNTING

### Track Configuration



Wall  
Mounting  
Single  
Door

Top  
Mounting  
Single  
Door

Track Kit Single Door		2500mm		0	1
		3000mm	04-000-102-001		
		4000mm	04-000-102-040		
		6000mm	04-000-102-002		

## CONCEALED MOUNTING

### Track Configuration



Wall  
Mounting  
Single  
Door

Top  
Mounting  
Single  
Door

Track Kit Single Door		2500mm	CN123493A	0	1
		3000mm	CN123493B		
		4000mm	CN123493C		
		6000mm	CN123493D		

ON DEMAND

## opk PERFECT FG 1 DOOR



### Door Frame Configuration



Wall  
Mounting  
Single  
Door

Top  
Mounting  
Single  
Door

<p><b>Door Kit Single Door</b></p>		<p>3000mm</p>	<p>04-000-102-006</p>	<p>1</p>	<p>1</p>
--	--	---------------	-----------------------	----------	----------

## opk PERFECT FW 1 DOOR



### Door Frame Configuration



Wall  
Mounting  
Single  
Door

Top  
Mounting  
Single  
Door

<p><b>Door Kit Single Door</b></p>		<p>3000mm</p>	<p>04-000-118-012</p>	<p>1</p>	<p>1</p>
--	--	---------------	-----------------------	----------	----------

ON DEMAND

## opk PERFECT FD 1 DOOR



### Door Frame Configuration



Wall  
Mounting  
Single  
Door

Top  
Mounting  
Single  
Door




<p><b>Door Kit Single Door</b></p>		<p>3000mm</p>	<p>04-000-117-019</p>	<p>1</p>	<p>1</p>
--	--	---------------	-----------------------	----------	----------

# opk PERFECT 1 DOOR



## Tracks, Accessories



<b>Wall Mounting Track</b>		<i>Anodized aluminium</i>	6000mm	XNA688	<a href="#">ON DEMAND</a>
<b>Track Cover For Surface Mounting</b>		<i>Anodized aluminium</i>	6000mm	OPK-A321	<a href="#">ON DEMAND</a>
<b>Track Cover Clip</b>		<i>Plastic</i>	1pc Every 300mm	04-099-100-001	






# opk PERFECT 1 DOOR



## SURFACE MOUNTING

## Tracks, Accessories



<b>Upper Track</b>		<i>Anodized aluminium</i>	6000mm	04-005-102-001	<a href="#">ON DEMAND</a>
<b>Track Cover For Surface Mounting</b>		<i>Anodized aluminium</i>	6000mm	04-005-102-002	<a href="#">ON DEMAND</a>
<b>Track Bottom Cover--Side (40 &amp; 45 Door Thickness)</b>		<i>Anodized aluminium</i>	6000mm	04-005-102-003	<a href="#">ON DEMAND</a>
<b>Track Shock-Absorption Rubber Strip</b>		<i>Rubber</i>	600m/Roll	04-055-100-002	
<b>Track Cover Clip</b>		<i>Plastic</i>	1pc Every 300mm	04-099-100-001	





# opk PERFECT 1 DOOR



## SURFACE MOUNTING

### Tracks, Accessories








<b>Upper Track</b>		Anodized aluminium	6000mm	04-005-102-001	ON DEMAND
<b>Track Cover For Concealed Mounting</b>		Anodized aluminium	6000mm	04-000-117-010	ON DEMAND
<b>Track Shock-Absorption Rubber Strip</b>		Rubber	600m/Roll	04-055-100-002	
<b>Track Cover Clip</b>		Plastic	1pc Every 300mm	04-099-100-001	

# opk PERFECT FG 1 DOOR





## Door, Accessories



<b>Up/Bottom Frame</b>		Anodized aluminium	6000mm	04-005-102-005	ON DEMAND
<b>Internal Vertical Frame</b>		Anodized aluminium	6000mm	04-005-102-006	ON DEMAND
<b>Vertical Frame</b>		Anodized aluminium	6000mm	04-005-102-007	ON DEMAND
<b>Dividing Bar</b>		Anodized aluminium	3000mm	04-000-102-016	
<b>Dividing Bar</b>		Anodized aluminium	3000mm	04-000-102-013	

## Door, Accessories




or	<b>Rubber Strip For 8 mm Glass</b> 	PVC	3000mm	04-099-100-006
	<b>Rubber Strip For 9 mm Glass</b> 	PVC	3000mm	04-099-100-900
	<b>Rubber Strip For 10 mm Glass</b> 	PVC	3000mm	OPK-A410
	<b>Internal Hexagon Self-Tapping Screw - M4X18</b> 	Nickel Plated	-	04-099-100-007

**8 pcs Each Door**

**ON DEMAND**

## ASSEMBLY KIT

COMPLICATED?  
THAT WAS YESTERDAY.



01. Extended bit to connect the aluminium frames.
02. Drilling pattern to set the drilling points in the profiles.
03. Drill to make the holes in the profiles.

# opk PERFECT FW 1 DOOR



## Door, Accessories



<b>Up/Bottom Frame</b>	<p>0.69kg/m</p>	Anodized aluminium	6000mm	04-000-117-011	ON DEMAND
<b>Vertical Frame</b>	<p>1.06kg/m</p>	Anodized aluminium	6000mm	OPK- A2101-46	ON DEMAND
<b>Vertical Frame Cover</b>	<p>0.29kg/m</p>	Anodized aluminium	6000mm	04-000-117-113	ON DEMAND
<b>Vertical Frame Accessories</b>	<p>0.15kg/m</p>	Anodized aluminium	6000mm	04-000-118-004	ON DEMAND
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	<p>16 pcs Each Door</p> <p>Nickel Plated</p>	-	-	04-099-100-007	
<b>1.8x3.3 Rubber Strip</b>		Rubber	2000m/Roll	04-099-100-021	ON DEMAND



## ASSEMBLY KIT

COMPLICATED?

THAT WAS YESTERDAY.



01. Extended bit to connect the aluminium frames.

02. Drill to make the holes in the profiles.

# opk PERFECT **FD 1 DOOR**



## Door, Accessories



<b>Up/Bottom Frame</b>		Anodized aluminium	6000mm	04-000-117-011	ON DEMAND
<b>Vertical Frame</b>		Anodized aluminium	6000mm	04-000-117-112	ON DEMAND
<b>Vertical Frame Cover</b>		Anodized aluminium	6000mm	04-000-117-113	ON DEMAND
<b>Vertical Frame Decorative Strip</b>		Anodized aluminium	6000mm	04-000-117-006	ON DEMAND
<b>6x20mm Alu-tube for Desiccant</b>		Anodized aluminium	6000mm	04-000-117-007	ON DEMAND
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	 8 pcs Each Door	Nickel Plated	-	04-099-100-007	
<b>1.8x3.3 Rubber Strip</b>		Rubber	2000m/Roll	04-099-100-021	ON DEMAND



## ASSEMBLY KIT

COMPLICATED?

THAT WAS YESTERDAY.



*01. Extended bit to connect the aluminium frames.*

*02. Drill to make the holes in the profiles.*

# opk PERFECT 2 DOORS

## Content

**opk PERFECT 2 DOORS**

**Technical Drawing**

**FG Fitting Configuration**

**W/FW/FD Fitting Configuration**














**Track Configuration**

**Door Frame Configuration**


**Tracks, Accessories**

**Door, Accessories**



		 ≥600mm
		 FG 40mm W 45mm FW 46.5mm FD 46.5mm
		
 80		 FG 8-11mm FW 5mm FD 5mm
		

# opk PERFECT FG 2 DOORS



	Door weight	Door width	Door thickness	Glass thickness
FG	-	≥600	40	8-11


Overlap 2 Doors ≤80  
2+0 Stacking Doors ≤60

## Technical Drawing

### SURFACE MOUNTING

Overlap 2 Doors




2+0 Stacking Doors




### CONCEALED MOUNTING

Overlap 2 Doors

2+0 Stacking Doors




# opk PERFECT W/FW/FD 2 DOORS



## Technical Drawing

	Door weight	Door width	Door thickness	Glass thickness
W	-	≥600	45	-
FW		≥600	46.5	5
FD		≥600	46.5	5

Overlap 2 Doors ≤80  
2+0 Stacking Doors ≤60



### SURFACE MOUNTING




### CONCEALED MOUNTING

Overlap 2 Doors


2+0 Stacking Doors

Overlap 2 Doors


2+0 Stacking Doors




Overlap  
2 Door




2+0





# opk PERFECT FG 2 DOORS



## Left Opening Stacking Door Fitting Configuration



Over  
lap  
2 Doors

2+0  
Stacking  
Doors

<p><b>Single Door Set</b></p>		<p>04-000-101-001</p>	<p>2</p>	<p>1</p>
<p><b>Left Opening Middle Door Set</b></p>		<p>04-000-101-002</p>	<p>0</p>	<p>1</p>
<p><b>Bottom Fixing Part</b></p>		<p>04-000-101-004</p>	<p>0</p>	<p>1</p>

# opk PERFECT FG 2 DOORS




## Right Opening Stacking Door Fitting Configuration




Over  
lap  
2 Doors


2+0  
Stacking  
Doors

<p><b>Single Door Set</b></p>		<p>04-000-101-001</p>	<p>2</p>	<p>1</p>
<p><b>Right Opening Middle Door Set</b></p>		<p>04-000-101-002</p>	<p>0</p>	<p>1</p>
<p><b>Bottom Fixing Part</b></p>		<p>04-000-101-004</p>	<p>0</p>	<p>1</p>





# opk PERFECT W/FW/FD 2 DOORS



## Left Opening Stacking Door Fitting Configuration



Over  
lap  
2 Doors

2+0  
Stacking  
Doors

<p><b>Single Door Set</b></p>		<p>04-001-117-001</p>	<p>2</p>	<p>1</p>
<p><b>Left Opening Middle Door Set</b></p>		<p>04-001-117-002</p>	<p>0</p>	<p>1</p>
<p><b>Bottom Fixing Part</b></p>		<p>04-000-117-W04</p>	<p>0</p>	<p>1</p>

# opk PERFECT FG 2 DOORS





## SURFACE MOUNTING

### Track Configuration



Over  
lap  
2 Doors

2+0  
Stacking  
Doors

Track Kit Single Door		2500mm		1	1
		3000mm	04-000-102-001		
		4000mm	04-000-102-040		
		6000mm	04-000-102-002		
Track Kit Middle Door		2500mm		1	1
		3000mm	04-000-102-003		
		4000mm	04-000-102-140		
		6000mm	04-000-102-004		



## CONCEALED MOUNTING

### Track Configuration



Over  
lap  
2 Doors

2+0  
Stacking  
Doors

Track Kit Single Door		2500mm	CN123493A	1	1
		3000mm	CN123493B		
		4000mm	CN123493C		
		6000mm	CN123493D		
Track Kit Middle Door		2500mm	CN122878E	1	1
		3000mm	CN122878A		
		4000mm	CN122878C		
		6000mm	CN122878B		

ON DEMAND

ON DEMAND

# opk PERFECT W/FW/FD 2 DOORS



## SURFACE MOUNTING

### Track Configuration



Over  
lap  
2 Doors

2+0  
Stacking  
Doors

Track Kit Single Door		2500mm		1	1
		3000mm	04-000-102-001		
		4000mm	04-000-102-040		
		6000mm	04-000-102-002		
Track Kit Middle Door		2500mm		1	1
		3000mm	04-W00-102-001		
		4000mm	04-W00-102-040		
		6000mm	04-W00-102-002		

## CONCEALED MOUNTING

### Track Configuration



Over  
lap  
2 Doors

2+0  
Stacking  
Doors

Track Kit Single Door		2500mm	CN123493A	1	1	ON DEMAND
		3000mm	CN123493B			
		4000mm	CN123493C			
		6000mm	CN123493D			
Track Kit Middle Door		2500mm	-----	1	1	ON DEMAND
		3000mm	CN123191A			
		4000mm	CN123191B			
		6000mm	CN123191C			

## opk PERFECT FG 2 DOORS



### Door Frame Configuration



Over  
lap  
2  
Doors

2+0  
Stacking  
Doors

<p><b>Door Kit Side Door</b></p>		<p>3000mm</p>	<p>04-000-102-007</p>	<p>2</p>	<p>2</p>
----------------------------------	--	---------------	-----------------------	----------	----------

## opk PERFECT W 2 DOORS



### Door Frame Configuration



Over  
lap  
2  
Doors

2+0  
Stacking  
Doors

<p><b>1.5 Meter Wooden Door Profile Kit</b></p>		<p>1500mm</p>	<p>04-W00-102-004</p>	<p>2</p>	<p>2</p>
---	--	---------------	-----------------------	----------	----------

# opk PERFECT FW 2 DOORS



## Door Frame Configuration



Over  
lap  
2  
Doors

2+0  
Stacking  
Doors

<p><b>Door Kit Side Door</b></p>		<p>3000mm</p>	<p>04-000-118-013</p>	<p>2</p>	<p>2</p>
----------------------------------	--	---------------	-----------------------	----------	----------

ON DEMAND

# opk PERFECT FD 2 DOORS



## Door Frame Configuration



Over  
lap  
2  
Doors

2+0  
Stacking  
Doors

<p><b>Door Kit Side Door</b></p>		<p>3000mm</p>	<p>04-000-117-022</p>	<p>2</p>	<p>2</p>
----------------------------------	--	---------------	-----------------------	----------	----------




# opk PERFECT 2 DOORS

## SURFACE MOUNTING



### Tracks, Accessories



	<b>Upper Track</b>	 1.33kg/m	Anodized aluminium	6000mm	04-005-102-001	ON DEMAND
or	<b>Track Bottom Cover--Middle (40 Door Thickness)</b>	 0.13kg/m Used For FG	Anodized aluminium	6000mm	04-005-102-004	ON DEMAND
	<b>Track Bottom Cover--Middle (45 Door Thickness)</b>	 0.15kg/m Used For W/FW/FD	Anodized aluminium	6000mm	OPK-A314-45	ON DEMAND
	<b>Track Bottom Cover--Side (40 &amp; 45 Door Thickness)</b>	 0.08kg/m	Anodized aluminium	6000mm	04-005-102-003	ON DEMAND
	<b>Track Cover For Surface Mounting</b>	 0.23kg/m	Anodized aluminium	6000mm	04-005-102-002	ON DEMAND
	<b>Track Shock-Absorption Rubber Strip</b>		Rubber	600m/Roll	04-099-100-002	ON DEMAND
	<b>Track Cover Clip</b>		Plastic	1pc Every 300mm	04-099-100-001	
or	<b>Plastic Track-Gap Clip (40 Door Thickness)</b>	 Used For FG	Plastic	1pc Every 300mm	04-099-100-004	
	<b>Plastic Track-Gap Clip (45 Door Thickness)</b>	 Used For W/FW/FD	Plastic	1pc Every 300mm	04-000-117-009	ON DEMAND









# opk PERFECT 2 DOORS

## CONCEALED MOUNTING



### Tracks, Accessories



	<b>Upper Track</b>		<i>Anodized aluminium</i>	6000mm	04-005-102-001	ON DEMAND
or	<b>Track Bottom Cover--Middle (40 Door Thickness)</b>		<i>Anodized aluminium</i>	6000mm	04-005-102-004	ON DEMAND
	<b>Track Bottom Cover--Middle (45 Door Thickness)</b>		<i>Anodized aluminium</i>	6000mm	OPK-A314-45	ON DEMAND
	<b>Track Cover For Concealed Mounting</b>		<i>Anodized aluminium</i>	6000mm	04-000-117-010	ON DEMAND
	<b>Track Shock-Absorption Rubber Strip</b>		<i>Rubber</i>	600m/Roll	04-099-100-002	ON DEMAND
	<b>Track Cover Clip</b>		<i>Plastic</i>	1pc Every 300mm	04-099-100-001	
or	<b>Plastic Track-Gap Clip (40 Door Thickness)</b>		<i>Plastic</i>	1pc Every 300mm	04-099-100-004	
	<b>Plastic Track-Gap Clip (45 Door Thickness)</b>		<i>Plastic</i>	1pc Every 300mm	04-000-117-009	ON DEMAND

# opk PERFECT FG 2 DOORS



## Door, Accessories



<b>Up/Bottom Frame</b>	 0.76kg/m	Anodized aluminium	6000mm	04-005-102-005	ON DEMAND
<b>Internal Vertical Frame</b>	 0.55kg/m	Anodized aluminium	6000mm	04-005-102-006	ON DEMAND
<b>Vertical Frame</b>	 0.28 kg /m	Anodized aluminium	6000mm	04-005-102-007	ON DEMAND
<b>External Vertical Frame With Slot</b>	 0.3kg/m	Anodized aluminium	6000mm	04-005-102-008	ON DEMAND
<b>Dividing Bar</b>	 0.64kg/m	Anodized aluminium	3000mm	04-000-102-016	
<b>Dividing Bar</b>	 0.16kg/m	Anodized aluminium	3000mm	04-000-102-013	
<b>Rubber Strip For 8 mm Glass</b>	 PVC	PVC	3000mm	04-099-100-006	
<b>Rubber Strip For 9 mm Glass</b>	 PVC	PVC	3000mm	04-099-100-900	
<b>Rubber Strip For 10 mm Glass</b>	 PVC	PVC	3000mm	OPK- A410	ON DEMAND
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	 8 pcs Each Door Nickel Plated	Nickel Plated	-	04-099-100-007	

or

## ASSEMBLY KIT

COMPLICATED?  
THAT WAS YESTERDAY.



- 01. Pattern for determining the length of the belt.
- 02. Extended bit to connect the aluminium frames.
- 03. Drilling pattern to set the drilling points in the profiles.
- 04. Drill to make the holes in the profiles.

## opk PERFECT W 2 DOORS Door, Accessories





<b>Up/Bottom Frame</b>	 0.67kg/m	Anodized aluminium	6000mm	04-W00-099-001	ON DEMAND
<b>Self-Tapping Screw - ST4*50</b>		Nickel Plated	-	105605	ON DEMAND
<b>Wooden Door End Cap</b>	 4 pcs Each Door	POM	-	04-W00-099-002	ON DEMAND

# opk PERFECT FW 2 DOORS



## Door, Accessories



<b>Up/Bottom Frame</b>		Anodized aluminium	6000mm	04-000-117-011	ON DEMAND
<b>Vertical Frame</b>		Anodized aluminium	6000mm	OPK- A2101-46	ON DEMAND
<b>Vertical Frame Cover</b>		Anodized aluminium	6000mm	04-000-117-113	ON DEMAND
<b>Vertical Frame Cover With Slot</b>		Anodized aluminium	6000mm	04-000-118-003	ON DEMAND
<b>Vertical Frame Accessories</b>		Anodized aluminium	6000mm	04-000-118-004	ON DEMAND
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	  Nickel Plated	Nickel Plated	-	04-099-100-007	
<b>1.8x3.3 Rubber Strip</b>		Rubber	2000m/Roll	04-099-100-021	ON DEMAND

# opk PERFECT **FD 2 DOORS**





## Door, Accessories



<b>Up/Bottom Frame</b>	<p>0.69kg/m</p>	Anodized aluminium	6000mm	OPK- A276-46	ON DEMAND
<b>Vertical Frame</b>	<p>0.58kg/m</p>	Anodized aluminium	6000mm	OPK- A2122-45	ON DEMAND
<b>Vertical Frame Cover</b>	<p>0.29kg/m</p>	Anodized aluminium	6000mm	OPK- A2102-46	ON DEMAND
<b>Vertical Frame Cover With Slot</b>	<p>0.31kg/m</p>	Anodized aluminium	6000mm	OPK- A2123-45	ON DEMAND
<b>Vertical Frame Decorative Strip</b>	<p>0.13kg/m</p>	Anodized aluminium	6000mm	OPK- A286-46	ON DEMAND
<b>6x20mm Alu-tube for Desiccant</b>	<p>0.13kg/m</p>	Anodized aluminium	6000mm	OPK- A437	ON DEMAND
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND

## Door, Accessories



<p><b>Internal Hexagon Self-Tapping Screw - M4X18</b></p>	 <p><b>8 pcs Each Door</b></p> <p><i>Nickel Plated</i></p>	-	-	04-099-100-007
<p><b>1.8x3.3 Rubber Strip</b></p>		<p><i>Rubber</i></p>	2000m/Roll	04-099-100-021

ON DEMAND

## ASSEMBLY KIT

COMPLICATED?  
THAT WAS YESTERDAY.



01. Pattern for determining the length of the belt.
02. Extended bit to connect the aluminium frames.
03. Drill to make the holes in the profiles.

# opk PERFECT 3 DOORS

## Content

**opk PERFECT 3 DOORS**

**Technical Drawing**

**FG Fitting Configuration**

**W/FW/FD Fitting Configuration**














**Track Configuration**

**Door Frame Configuration**

**Tracks, Accessories**

**Door, Accessories**



		 ≥600mm
		 FG 40mm W 45mm FW 46.5mm FD 46.5mm
		
 60		 FG 8-11mm FW 5mm FD 5mm
		


# opk PERFECT FG 3 DOORS




	Door weight	Door width	Door thickness	Glass thickness
FG	≤60	≥600	40	8-11

## Technical Drawing


**SURFACE MOUNTING**




**CONCEALED MOUNTING**



**2+1 or 3+0  
Similar  
Parameters**




**Three Stacking  
Doors or 2+1**



**3+0**


# opk PERFECT W/FW/ FD 3 DOORS




	Door weight	Door width	Door thickness	Glass/Wooden thickness
W	≤60	≥600	45	-
FW	≤60	≥600	46.5	5
FD	≤60	≥600	46.5	5

## Technical Drawing


**SURFACE MOUNTING**




**CONCEALED MOUNTING**



**2+1 or 3+0  
Similar  
Parameters**




**Three Stacking  
Doors or 2+1**





**3+0**





# opk PERFECT FG 3 DOORS



## Left Opening Stacking Door Fitting Configuration




Three  
Stacking  
Doors

2+1  
Stacking  
Doors

3+0  
Stacking  
Doors

<p><b>Single Door Set</b></p>		<p>04-000-101-001</p>	<p>2</p>	<p>1</p>	<p>1</p>
<p><b>Left Opening Middle Door Set</b></p>		<p>04-000-101-002</p>	<p>1</p>	<p>1</p>	<p>0</p>
<p><b>Left Opening Multi-Door Set</b></p>		<p>04-000-101-003</p>	<p>0</p>	<p>0</p>	<p>2</p>
<p><b>Fixed Door Set</b></p>		<p>04-000-101-030</p>	<p>0</p>	<p>1</p>	<p>0</p>
<p><b>Bottom Fixing Part</b></p>		<p>04-000-101-004</p>	<p>0</p>	<p>1</p>	<p>1</p>

# opk PERFECT FG 3 DOORS



## Right Opening Stacking Door Fitting Configuration



Three  
Stacking  
Doors

2+1  
Stacking  
Doors


3+0  
Stacking  
Doors

Single Door Set		04-000-101-001	2	1	1
Right Opening Middle Door Set		04-000-101-002	1	1	0
Right Opening Multi-Door Set		04-000-101-003	0	0	2
Fixed Door Set		04-000-101-030	0	1	0
Bottom Fixing Part		04-000-101-004	0	1	1





# opk PERFECT W/FW/ FD 3 DOORS



## Left Opening Stacking Door Fitting Configuration



Three  
Stacking  
Doors

2+1  
Stacking  
Doors

3+0  
Stacking  
Doors

Single Door Set		04-001-117-001	2	1	1
Left Opening Middle Door Set		04-001-117-002	1	1	0
Left Opening Multi-Door Set		04-001-117-003	0	0	2
Fixed Door Set		04-000-101-030	0	1	0
Bottom Fixing Part		04-000-101-W04	0	1	1

# opk PERFECT FG 3 DOORS



## SURFACE MOUNTING

### Track Configuration



Three  
Stacking  
Doors

2+1  
Stacking  
Doors

3+0  
Stacking  
Doors

Track Kit Single Door		2500mm		1	1	1
		3000mm	04-000-102-001			
		4000mm	04-000-102-040			
		6000mm	04-000-102-002			
Track Kit Middle Door		2500mm		2	2	2
		3000mm	04-000-102-003			
		4000mm	04-000-102-140			
		6000mm	04-000-102-004			

## CONCEALED MOUNTING

### Track Configuration



Three  
Stacking  
Doors

2+1  
Stacking  
Doors

3+0  
Stacking  
Doors

Track Kit Single Door		2500mm	CN123493A	1	1	1	ON DEMAND
		3000mm	CN123493B				
		4000mm	CN123493C				
		6000mm	CN123493D				
Track Kit Middle Door		2500mm	CN122878E	2	2	2	ON DEMAND
		3000mm	CN122878A				
		4000mm	CN122878C				
		6000mm	CN122878B				

# opk PERFECT W/FW/FD 3 DOORS



## SURFACE MOUNTING

### Track Configuration



Three  
Stacking  
Doors

2+1  
Stacking  
Doors

3+0  
Stacking  
Doors

Track Kit Single Door		2500mm		1	1	1
		3000mm	04-000-102-001			
		4000mm	04-000-102-040			
		6000mm	04-000-102-002			
Track Kit Middle Door		2500mm		2	2	2
		3000mm	04-W00-102-001			
		4000mm	04-W00-102-040			
		6000mm	04-W00-102-002			

## CONCEALED MOUNTING

### Track Configuration



Three  
Stacking  
Doors

2+1  
Stacking  
Doors

3+0  
Stacking  
Doors

Track Kit Single Door		2500mm	CN123493A	1	1	1	ON DEMAND
		3000mm	CN123493B				
		4000mm	CN123493C				
		6000mm	CN123493D				
Track Kit Middle Door		2500mm	-----	2	2	2	ON DEMAND
		3000mm	CN123191A				
		4000mm	CN123191B				
		6000mm	CN123191C				

## opk PERFECT FG 3 DOORS



### Door Frame Configuration



Three  
Stacking  
Doors

2+1  
Stacking  
Doors

3+0  
Stacking  
Doors

<b>Door Kit Side Door</b>		3000mm	04-000-102-007	2	2	2
<b>Door Kit Middle Door</b>		3000mm	04-000-102-008	1	1	1

## opk PERFECT W 3 DOORS



### Door Frame Configuration



Three  
Stacking  
Doors

2+1  
Stacking  
Doors

3+0  
Stacking  
Doors

<b>1.5 Meter Wooden Door Profile Kit</b>		1500mm	04-W00-102-004	3	3	3
--	--	--------	----------------	---	---	---

# opk PERFECT FW 3 DOORS





## Door Frame Configuration



Three  
Stacking  
Doors

2+1  
Stacking  
Doors

3+0  
Stacking  
Doors

<b>Door Kit Side Door</b>		3000mm	04-000-118-013	2	2	2	<a href="#">ON DEMAND</a>
<b>Door Kit Middle Door</b>		3000mm	04-000-118-011	1	1	1	<a href="#">ON DEMAND</a>

# opk PERFECT FD 3 DOORS





## Door Frame Configuration



Three  
Stacking  
Doors

2+1  
Stacking  
Doors

3+0  
Stacking  
Doors

<b>Door Kit Side Door</b>		3000mm	04-000-117-022	2	2	2	
<b>Door Kit Middle Door</b>		3000mm	04-000-117-021	1	1	1	

# opk PERFECT 3 DOORS

## SURFACE MOUNTING



### Tracks, Accessories



	<b>Upper Track</b>	 1.33kg/m	Anodized aluminium	6000mm	04-005-102-001	ON DEMAND
or	<b>Track Bottom Cover--Middle (40 Door Thickness)</b>	 0.13kg/m Used For FG	Anodized aluminium	6000mm	04-005-102-004	ON DEMAND
	<b>Track Bottom Cover--Middle (45 Door Thickness)</b>	 0.15kg/m Used For W/FW/FD	Anodized aluminium	6000mm	OPK-A314-45	ON DEMAND
	<b>Track Bottom Cover--Side (40 &amp; 45 Door Thickness)</b>	 0.08kg/m	Anodized aluminium	6000mm	04-005-102-003	ON DEMAND
	<b>Track Cover For Surface Mounting</b>	 0.23kg/m	Anodized aluminium	6000mm	04-005-102-002	ON DEMAND
	<b>Track Shock-Absorption Rubber Strip</b>		Rubber	600m/Roll	04-099-100-002	ON DEMAND
	<b>Track Cover Clip</b>		Plastic	1pc Every 300mm	04-099-100-001	
or	<b>Plastic Track-Gap Clip (40 Door Thickness)</b>	 Used For FG	Plastic	1pc Every 300mm	04-099-100-004	
	<b>Plastic Track-Gap Clip (45 Door Thickness)</b>	 Used For W/FW/FD	Plastic	1pc Every 300mm	04-000-117-009	ON DEMAND

# opk PERFECT 3 DOORS

## CONCEALED MOUNTING



### Tracks, Accessories



	<b>Upper Track</b>	 1.33kg/m	Anodized aluminium	6000mm	04-005-102-001	ON DEMAND
or	<b>Track Bottom Cover--Middle (40 Door Thickness)</b>	 0.13kg/m Used For FG	Anodized aluminium	6000mm	04-005-102-004	ON DEMAND
	<b>Track Bottom Cover--Middle (45 Door Thickness)</b>	 0.15kg/m Used For W/FW/FD	Anodized aluminium	6000mm	OPK-A314-45	ON DEMAND
	<b>Track Cover For Concealed Mounting</b>	 0.1kg/m	Anodized aluminium	6000mm	04-000-117-010	ON DEMAND
	<b>Track Shock-Absorption Rubber Strip</b>		Rubber	600m/Roll	04-099-100-002	ON DEMAND
	<b>Track Cover Clip</b>		Plastic	1pc Every 300mm	04-099-100-001	
or	<b>Plastic Track-Gap Clip (40 Door Thickness)</b>	 Used For FG	Plastic	1pc Every 300mm	04-099-100-004	
	<b>Plastic Track-Gap Clip (45 Door Thickness)</b>	 Used For W/FW/FD	Plastic	1pc Every 300mm	04-000-117-009	

# opk PERFECT FG 3 DOORS



## Door, Accessories



<b>Up/Bottom Frame</b>	 0.76kg/m	Anodized aluminium	6000mm	04-005-102-005	ON DEMAND
<b>Internal Vertical Frame</b>	 0.55kg/m	Anodized aluminium	6000mm	04-005-102-006	ON DEMAND
<b>Vertical Frame</b>	 0.28 kg /m	Anodized aluminium	6000mm	04-005-102-007	ON DEMAND
<b>External Vertical Frame With Slot</b>	 0.3kg/m	Anodized aluminium	6000mm	04-005-102-008	ON DEMAND
<b>Dividing Bar</b>	 0.64kg/m	Anodized aluminium	3000mm	04-000-102-016	
<b>Dividing Bar</b>	 0.16kg/m	Anodized aluminium	3000mm	04-000-102-013	
<b>Rubber Strip For 8 mm Glass</b>	 PVC	PVC	3000mm	04-099-100-006	
<b>Rubber Strip For 9 mm Glass</b>	 PVC	PVC	3000mm	04-099-100-900	
<b>Rubber Strip For 10 mm Glass</b>	 PVC	PVC	3000mm	OPK- A410	ON DEMAND
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	 8 pcs Each Door Nickel Plated	Nickel Plated	-	04-099-100-007	

or

## ASSEMBLY KIT

COMPLICATED?  
THAT WAS YESTERDAY.



- 01. Pattern for determining the length of the belt.
- 02. Extended bit to connect the aluminium frames.
- 03. Drilling pattern to set the drilling points in the profiles.
- 04. Drill to make the holes in the profiles.

## opk PERFECT W 3 DOORS Door, Accessories







<b>Up/Bottom Frame</b>	 0.67kg/m	Anodized aluminium	6000mm	04-W00-099-001	ON DEMAND
<b>Self-Tapping Screw - ST4*50</b>		Nickel Plated	-	105605	ON DEMAND
<b>Wooden Door End Cap</b>	 4 pcs Each Door	POM	-	04-W00-099-002	ON DEMAND

# opk PERFECT FW 3 DOORS



## Door, Accessories



<b>Up/Bottom Frame</b>		Anodized aluminium	6000mm	04-000-117-011	ON DEMAND
<b>Vertical Frame</b>		Anodized aluminium	6000mm	OPK- A2101-46	ON DEMAND
<b>Vertical Frame Cover</b>		Anodized aluminium	6000mm	04-000-117-113	ON DEMAND
<b>Vertical Frame Cover With Slot</b>		Anodized aluminium	6000mm	04-000-117-114	ON DEMAND
<b>Vertical Frame Accessories</b>		Anodized aluminium	6000mm	04-000-118-004	ON DEMAND
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	 	Nickel Plated	-	04-099-100-007	
<b>1.8x3.3 Rubber Strip</b>		Rubber	2000m/Roll	04-099-100-021	ON DEMAND

## ASSEMBLY KIT

COMPLICATED?  
THAT WAS YESTERDAY.



**01**

04-099-000-001



**02**

04-099-000-004



**03**

04-099-000-005

- 01. Pattern for determining the length of the belt.
- 02. Extended bit to connect the aluminium frames.
- 03. Drill to make the holes in the profiles.

# opk PERFECT **FD 3 DOORS**





## Door, Accessories



<b>Up/Bottom Frame</b>	<p>0.69kg/m</p>	Anodized aluminium	6000mm	04-000-117-011	ON DEMAND
<b>Vertical Frame</b>	<p>0.58kg/m</p>	Anodized aluminium	6000mm	04-000-117-112	ON DEMAND
<b>Vertical Frame Cover</b>	<p>0.29kg/m</p>	Anodized aluminium	6000mm	04-000-117-113	ON DEMAND
<b>Vertical Frame Cover With Slot</b>	<p>0.31kg/m</p>	Anodized aluminium	6000mm	04-000-117-114	ON DEMAND
<b>Vertical Frame Decorative Strip</b>	<p>0.13kg/m</p>	Anodized aluminium	6000mm	04-000-117-006	ON DEMAND
<b>6x20mm Alu-tube for Desiccant</b>	<p>0.13kg/m</p>	Anodized aluminium	6000mm	04-000-117-007	ON DEMAND
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND

## Door, Accessories



<p><b>Internal Hexagon Self-Tapping Screw - M4X18</b></p>	 <p><b>8 pcs Each Door</b></p> <p><i>Nickel Plated</i></p>	-		04-099-100-007
<p><b>1.8x3.3 Rubber Strip</b></p>		<p><i>Rubber</i></p>	2000m/Roll	04-099-100-021

ON DEMAND

## ASSEMBLY KIT

COMPLICATED?  
THAT WAS YESTERDAY.



- 01. Pattern for determining the length of the belt.
- 02. Extended bit to connect the aluminium frames.
- 03. Drill to make the holes in the profiles.



# opk PERFECT 4 DOORS

## Content

**opk PERFECT 4 DOORS**

**Technical Drawing**

**FG Fitting Configuration**

**W/FW/FD Fitting Configuration**














**Track Configuration**

**Door Frame Configuration**


**Tracks, Accessories**

**Door, Accessories**



		 ≥600mm
		 FG 40mm W 45mm FW 46.5mm FD 46.5mm
		
 60		 FG 8-11mm FW 5mm FD 5mm
		


# opk PERFECT FG 4 DOORS



	Door weight	Door width	Door thickness	Glass thickness
FG	≤60	≥600	40	8-11


## Technical Drawing

**SURFACE MOUNTING**




**3+1  
Similar  
Parameters**


**CONCEALED MOUNTING**



**3+1  
Similar  
Parameters**




# opk PERFECT W/FW/ FD 4 DOORS



## Technical Drawing

	Door weight	Door width	Door thickness	Glass/Wooden thickness
W	≤60	≥600	45	-
FW	≤60	≥600	46.5	5
FD	≤60	≥600	46.5	5


**SURFACE MOUNTING**




**3+1  
Similar  
Parameters**




**CONCEALED MOUNTING**




**3+1  
Similar  
Parameters**







# opk PERFECT FG 4 DOORS







## Left Opening Stacking Door Fitting Configuration





Four  
Stacking  
Doors

3+1  
Stacking  
Doors

<p><b>Single Door Set</b></p>		<p>04-000-101-001</p>	<p>2</p>	<p>1</p>
<p><b>Left Opening Multi-Door Set</b></p>		<p>04-000-101-003</p>	<p>2</p>	<p>2</p>
<p><b>Fixed Door Set</b></p>		<p>04-000-101-030</p>	<p>0</p>	<p>1</p>
<p><b>Bottom Fixing Part</b></p>		<p>04-000-101-004</p>	<p>0</p>	<p>1</p>

# opk PERFECT FG 4 DOORS







## Right Opening Stacking Door Fitting Configuration




Four  
Stacking  
Doors



3+1  
Stacking  
Doors

<p><b>Single Door Set</b></p>		<p>04-000-101-001</p>	<p>2</p>	<p>1</p>
<p><b>Right Opening Multi-Door Set</b></p>		<p>04-000-101-003</p>	<p>2</p>	<p>2</p>
<p><b>Fixed Door Set</b></p>		<p>04-000-101-030</p>	<p>0</p>	<p>1</p>
<p><b>Bottom Fixing Part</b></p>		<p>04-000-101-004</p>	<p>0</p>	<p>1</p>





# opk PERFECT W/FW/ FD 4 DOORS



## Left Opening Stacking Door Fitting Configuration



Four  
Stacking  
Doors

3+1  
Stacking  
Doors

<p><b>Single Door Set</b></p>		<p>04-001-117-001</p>	<p>2</p>	<p>1</p>
<p><b>Left Opening Multi-Door Set</b></p>		<p>04-001-117-003</p>	<p>2</p>	<p>2</p>
<p><b>Fixed Door Set</b></p>		<p>04-000-101-030</p>	<p>0</p>	<p>1</p>
<p><b>Bottom Fixing Part</b></p>		<p>04-000-101-W04</p>	<p>0</p>	<p>1</p>

# opk PERFECT FG 4 DOORS





## SURFACE MOUNTING

### Track Configuration



Four  
Stacking  
Doors

3+1  
Stacking  
Doors

<b>Track Kit Single Door</b>		2500mm		1	1
		3000mm	04-000-102-001		
		4000mm	04-000-102-040		
		6000mm	04-000-102-002		
<b>Track Kit Middle Door</b>		2500mm		3	3
		3000mm	04-000-102-003		
		4000mm	04-000-102-140		
		6000mm	04-000-102-004		



## CONCEALED MOUNTING

### Track Configuration



Four  
Stacking  
Doors

3+1  
Stacking  
Doors

<b>Track Kit Single Door</b>		2500mm	CN123493A	1	1
		3000mm	CN123493B		
		4000mm	CN123493C		
		6000mm	CN123493D		
<b>Track Kit Middle Door</b>		2500mm	CN122878E	3	3
		3000mm	CN122878A		
		4000mm	CN122878C		
		6000mm	CN122878B		

ON DEMAND

ON DEMAND

# opk PERFECT W/FW/FD 4 DOORS





## SURFACE MOUNTING

### Track Configuration



Four  
Stacking  
Doors

3+1  
Stacking  
Doors

Track Kit Single Door		2500mm		1	1
		3000mm	04-000-102-001		
		4000mm	04-000-102-040		
		6000mm	04-000-102-002		
Track Kit Middle Door		2500mm		3	3
		3000mm	04-W00-102-001		
		4000mm	04-W00-102-040		
		6000mm	04-W00-102-002		



## CONCEALED MOUNTING

### Track Configuration



Four  
Stacking  
Doors

3+1  
Stacking  
Doors

Track Kit Single Door		2500mm	CN123493A	1	1
		3000mm	CN123493B		
		4000mm	CN123493C		
		6000mm	CN123493D		
Track Kit Middle Door		2500mm	-----	3	3
		3000mm	CN123191A		
		4000mm	CN123191B		
		6000mm	CN123191C		

ON DEMAND

ON DEMAND

## opk PERFECT FG 4 DOORS



### Door Frame Configuration



Four  
Stacking  
Doors

3+1  
Stacking  
Doors

<p><b>Door Kit Side Door</b></p>		<p>3000mm</p>	<p>04-000-102-007</p>	<p>2</p>	<p>2</p>
<p><b>Door Kit Middle Door</b></p>		<p>3000mm</p>	<p>04-000-102-008</p>	<p>2</p>	<p>2</p>

## opk PERFECT W 4 DOORS



### Door Frame Configuration



Four  
Stacking  
Doors

3+1  
Stacking  
Doors

<p><b>1.5 Meter Wooden Door Profile Kit</b></p>		<p>1500mm</p>	<p>04-W00-102-004</p>	<p>4</p>	<p>4</p>
---	--	---------------	-----------------------	----------	----------

## opk PERFECT FW 4 DOORS



### Door Frame Configuration



Four  
Stacking  
Doors

3+1  
Stacking  
Doors

Door Kit Side Door		3000mm	04-000-118-013	2	2	ON DEMAND
Door Kit Middle Door		3000mm	04-000-118-011	2	2	ON DEMAND

## opk PERFECT FD 4 DOORS



### Door Frame Configuration



Four  
Stacking  
Doors

3+1  
Stacking  
Doors

Door Kit Side Door		3000mm	04-000-117-022	2	2	
Door Kit Middle Door		3000mm	04-000-117-021	2	2	


# opk PERFECT 4 DOORS



## SURFACE MOUNTING

### Tracks, Accessories



	<b>Upper Track</b>	 1.33kg/m	Anodized aluminium	6000mm	04-005-102-001	ON DEMAND
or	<b>Track Bottom Cover--Middle (40 Door Thickness)</b>	 0.13kg/m Used For FG	Anodized aluminium	6000mm	04-005-102-004	ON DEMAND
	<b>Track Bottom Cover--Middle (45 Door Thickness)</b>	 0.15kg/m Used For W/FW/FD	Anodized aluminium	6000mm	OPK-A314-45	ON DEMAND
	<b>Track Bottom Cover--Side (40 &amp; 45 Door Thickness)</b>	 0.08kg/m	Anodized aluminium	6000mm	04-005-102-003	ON DEMAND
	<b>Track Cover For Surface Mounting</b>	 0.23kg/m	Anodized aluminium	6000mm	04-005-102-002	ON DEMAND
	<b>Track Shock-Absorption Rubber Strip</b>		Rubber	600m/Roll	04-099-100-002	ON DEMAND
	<b>Track Cover Clip</b>		Plastic	1pc Every 300mm	04-099-100-001	
or	<b>Plastic Track-Gap Clip (40 Door Thickness)</b>	 Used For FG	Plastic	1pc Every 300mm	04-099-100-004	
	<b>Plastic Track-Gap Clip (45 Door Thickness)</b>	 Used For W/FW/FD	Plastic	1pc Every 300mm	04-000-117-009	ON DEMAND









# opk PERFECT 4 DOORS



## CONCEALED MOUNTING

### Tracks, Accessories



	<b>Upper Track</b>	 1.33kg/m	Anodized aluminium	6000mm	04-005-102-001	ON DEMAND
or	<b>Track Bottom Cover--Middle (40 Door Thickness)</b>	 0.13kg/m Used For FG	Anodized aluminium	6000mm	04-005-102-004	ON DEMAND
	<b>Track Bottom Cover--Middle (45 Door Thickness)</b>	 0.15kg/m Used For W/FW/FD	Anodized aluminium	6000mm	OPK-A314-45	ON DEMAND
	<b>Track Cover For Concealed Mounting</b>	 0.1kg/m	Anodized aluminium	6000mm	04-000-117-010	ON DEMAND
	<b>Track Shock-Absorption Rubber Strip</b>		Rubber	600m/Roll	04-099-100-002	ON DEMAND
	<b>Track Cover Clip</b>		Plastic	1pc Every 300mm	04-099-100-001	
or	<b>Plastic Track-Gap Clip (40 Door Thickness)</b>	 Used For FG	Plastic	1pc Every 300mm	04-099-100-004	
	<b>Plastic Track-Gap Clip (45 Door Thickness)</b>	 Used For W/FW/FD	Plastic	1pc Every 300mm	04-000-117-009	ON DEMAND

# opk PERFECT FG 4 DOORS



## Door, Accessories



<b>Up/Bottom Frame</b>	 0.76kg/m	Anodized aluminium	6000mm	04-005-102-005	ON DEMAND
<b>Internal Vertical Frame</b>	 0.55kg/m	Anodized aluminium	6000mm	04-005-102-006	ON DEMAND
<b>Vertical Frame</b>	 0.28 kg /m	Anodized aluminium	6000mm	04-005-102-007	ON DEMAND
<b>External Vertical Frame With Slot</b>	 0.3kg/m	Anodized aluminium	6000mm	04-005-102-008	ON DEMAND
<b>Dividing Bar</b>	 0.64kg/m	Anodized aluminium	3000mm	04-000-102-016	
<b>Dividing Bar</b>	 0.16kg/m	Anodized aluminium	3000mm	04-000-102-013	
<b>Rubber Strip For 8 mm Glass</b>	 PVC	PVC	3000mm	04-099-100-006	
<b>Rubber Strip For 9 mm Glass</b>	 PVC	PVC	3000mm	04-099-100-900	
<b>Rubber Strip For 10 mm Glass</b>	 PVC	PVC	3000mm	OPK- A410	
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	 8 pcs Each Door Nickel Plated	Nickel Plated	-	04-099-100-007	

or

## ASSEMBLY KIT

COMPLICATED?  
THAT WAS YESTERDAY.



- 01. Pattern for determining the length of the belt.
- 02. Extended bit to connect the aluminium frames.
- 03. Drilling pattern to set the drilling points in the profiles.
- 04. Drill to make the holes in the profiles.

## opk PERFECT W 4 DOORS Door, Accessories







<b>Up/Bottom Frame</b>	<p>0.67kg/m</p>	Anodized aluminium	6000mm	04-W00-099-001	ON DEMAND
<b>Self-Tapping Screw - ST4*50</b>		Nickel Plated	-	105605	ON DEMAND
<b>Wooden Door End Cap</b>	<p>4 pcs Each Door</p>	POM	-	04-W00-099-002	ON DEMAND

# opk PERFECT FW 4 DOORS



## Door, Accessories



<b>Up/Bottom Frame</b>		Anodized aluminium	6000mm	04-000-117-011	ON DEMAND
<b>Vertical Frame</b>		Anodized aluminium	6000mm	OPK- A2101-46	ON DEMAND
<b>Vertical Frame Cover</b>		Anodized aluminium	6000mm	04-000-117-113	ON DEMAND
<b>Vertical Frame Cover With Slot</b>		Anodized aluminium	6000mm	04-000-117-114	ON DEMAND
<b>Vertical Frame Accessories</b>		Anodized aluminium	6000mm	04-000-118-004	ON DEMAND
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	 	Nickel Plated	-	04-099-100-007	
<b>1.8x3.3 Rubber Strip</b>		Rubber	2000m/Roll	04-099-100-021	ON DEMAND

# opk PERFECT **FD 4 DOORS**





## Door, Accessories



<b>Up/Bottom Frame</b>	<p>0.69kg/m</p>	Anodized aluminium	6000mm	04-000-117-011	ON DEMAND
<b>Vertical Frame</b>	<p>0.58kg/m</p>	Anodized aluminium	6000mm	OPK- A2122-45	ON DEMAND
<b>Vertical Frame Cover</b>	<p>0.29kg/m</p>	Anodized aluminium	6000mm	04-000-117-113	ON DEMAND
<b>Vertical Frame Cover With Slot</b>	<p>0.31kg/m</p>	Anodized aluminium	6000mm	04-000-117-114	ON DEMAND
<b>Vertical Frame Decorative Strip</b>	<p>0.13kg/m</p>	Anodized aluminium	6000mm	04-000-117-006	ON DEMAND
<b>6x20mm Alu-tube for Desiccant</b>	<p>0.13kg/m</p>	Anodized aluminium	6000mm	04-000-117-007	ON DEMAND
<b>Weather-Strip</b>		-	500m/Roll	04-099-100-008	ON DEMAND

## Door, Accessories



<p><b>Internal Hexagon Self-Tapping Screw - M4X18</b></p>	 <p><b>8 pcs Each Door</b></p> <p><i>Nickel Plated</i></p>	-	-	04-099-100-007
<p><b>1.8x3.3 Rubber Strip</b></p>		<p><i>Rubber</i></p>	2000m/Roll	04-099-100-021

ON DEMAND

## ASSEMBLY KIT

COMPLICATED?  
THAT WAS YESTERDAY.



01. Pattern for determining the length of the belt.
02. Extended bit to connect the aluminium frames.
03. Drill to make the holes in the profiles.

# opk PERFECT POCKET DOOR

## Content

### opk PERFECT POCKET DOOR

Technical Drawing

**FG** Kit Configuration

**W** Kit Configuration













**FW** Kit Configuration

**FD** Kit Configuration


Tracks, Accessories

Door, Accessories



		 ≥630mm
		 FG 40mm W 45mm FW 46.5mm FD 46.5mm
 60		
		 FG 8-11mm FW 5mm FD 5mm
		


# opk PERFECT FG POCKET DOOR





	Door weight	Door width	Door thickness	Glass thickness
FG	≤60	≥630	40	8-11

## Technical Drawing


*SURFACE MOUNTING*



*CONCEALED MOUNTING*




# opk PERFECT W/FW/ FD POCKET DOOR





	Door weight	Door width	Door thickness	Glass/Wooden thickness
W	≤60	≥630	45	-
FW	≤60	≥630	46.5	5
FD	≤60	≥630	46.5	5

## Technical Drawing

*SURFACE MOUNTING*



*CONCEALED MOUNTING*







# opk PERFECT FG POCKET DOOR

## SURFACE MOUNTING

### Kit Configuration



**Float-Plus Start Set**



<p><b>Float-Plus Start Kit</b></p>		<p>-----</p>	<p>1</p>
------------------------------------	--	--------------	----------

ON DEMAND

# CONCEALED MOUNTING

## Kit Configuration

**Float-Plus Start Set**



<p><b>Float-Plus Start Kit</b></p>		<p>04-000-115-002</p>	<p>1</p>
------------------------------------	--	-----------------------	----------

# opk PERFECT W POCKET DOOR

## SURFACE MOUNTING

### Kit Configuration



**Float-Plus Start Set**



<p><b>Float-Plus Start Kit</b></p>		<p>101102400025</p>	<p>1</p>	ON DEMAND
------------------------------------	--	---------------------	----------	-----------

# CONCEALED MOUNTING

## Kit Configuration

**Float-Plus Start Set**



<p><b>Float-Plus Start Kit</b></p>		<p>04-W00-115-001</p>	<p>1</p>	
------------------------------------	--	-----------------------	----------	--

# opk PERFECT FW POCKET DOOR

## SURFACE MOUNTING

### Kit Configuration



**Float-Plus Start Set**



<p><b>Float-Plus Start Kit</b></p>		<p>101102400023</p>	<p>1</p>	<p>ON DEMAND</p>
------------------------------------	--	---------------------	----------	------------------

# CONCEALED MOUNTING

## Kit Configuration

**Float-Plus Start Set**



<p><b>Float-Plus Start Kit</b></p>		<p>04-000-118-007</p>	<p>1</p>	<p>ON DEMAND</p>
------------------------------------	--	-----------------------	----------	------------------

# opk PERFECT **FD** POCKET DOOR

## SURFACE MOUNTING

### Kit Configuration



**Float-Plus Start Set**



<p><b>Float-Plus Start Kit</b></p>		<p>101102400024</p>	<p>1</p>	<p>ON DEMAND</p>
------------------------------------	--	---------------------	----------	------------------

# CONCEALED MOUNTING

## Kit Configuration

**Float-Plus Start Set**



<p><b>Float-Plus Start Kit</b></p>		<p>04-000-117-015</p>	<p>1</p>
------------------------------------	--	-----------------------	----------

# opk PERFECT / opkDE SWING DOOR

## Content

**opk PERFECT / opkDE SWINGDOOR**

**Technical Drawing**

**FG Whole Door Configuration**

**FW Whole Door Configuration  
(withexposeddooropeningframe )**

**FW Whole Door Configuration  
(With Concealed Door Opening Frame)**












**Door, Accessories**

**Door Opening Cover, Accessories**

**Fitting, Accessories**

**Lock, Accessories**



		 ≥800mm
		 FG 40mm FW 46.5 or 62mm
 80		
		 FG 8-11mm FW 5mm





## opk PERFECT **FG** SWING DOOR



### Technical Drawing

	Door weight	Door width	Door thickness	Glass thickness
FG	≤80	≥800	40	8-11





## opkDE **FW** SWING DOOR WITH EXPOSED DOOR OPENING FRAME



### Technical Drawing

	Door weight	Door width	Doorthickness	Wooden thickness
FW	≤80	≥800	46.5	5





# opkDE FW SWING DOOR WITH CONCEALED DOOR OPENING FRAME



## Technical Drawing

	Door weight	Door width	Door thickness	Wooden thickness
FW	≤80	≥800	62	5





# opk PERFECT FG SWING DOOR



Internal  
Left Opening

Internal  
Right Opening



## Whole Door Configuration

<p><b>Internal Right Opening Kit</b></p>		<p>04-000-102-021</p>	<p>0</p>	<p>1</p>
<p><b>Internal Left Opening Kit</b></p>		<p>04-000-102-020</p>	<p>1</p>	<p>0</p>



# opkDE FW SWING DOOR WITH EXPOSED DOOR OPENING FRAME

## Whole Door Configuration




Internal  
Left Opening

Internal  
Right Opening



<p><b>Internal Right Opening Kit</b></p>		<p>111102600006</p>	<p>0</p>	<p>1</p>	<p>ON DEMAND</p>
<p><b>Internal Left Opening Kit</b></p>		<p>111102600005</p>	<p>1</p>	<p>0</p>	<p>ON DEMAND</p>



# opkDE FW SWING DOOR WITH CONCEALED DOOR OPENING FRAME Whole Door Configuration



Internal  
Left Opening

Internal  
Right Opening



<p><b>Internal Right Opening Kit</b></p>		<p>111102600008</p>	<p>0</p>	<p>1</p>	<p>ON DEMAND</p>
<p><b>Internal Left Opening Kit</b></p>		<p>111102600007</p>	<p>1</p>	<p>0</p>	<p>ON DEMAND</p>

# opk PERFECT FG SWING DOOR



## Door, Accessories



<b>Up/Bottom Frame</b>	 0.76kg/m	Anodized aluminium	6000mm	04-005-102-005	ON DEMAND
<b>Internal Vertical Frame</b>	 0.55kg/m	Anodized aluminium	6000mm	04-0005-102-006	ON DEMAND
<b>Vertical Frame</b>	 0.28 kg/m	Anodized aluminium	6000mm	04-005-102-007	ON DEMAND
<b>Dividing Bar</b>	 0.64kg/m	Anodized aluminium	3000mm	04-000-102-016	
<b>Dividing Bar</b>	 0.16kg/m	Anodized aluminium	3000mm	04-000-102-013	
<b>Rubber Strip For 8 mm Glass</b>	 PVC	PVC	3000mm	04-099-100-006	
<b>Rubber Strip For 9 mm Glass</b>	 PVC	PVC	3000mm	04-099-100-900	
<b>Rubber Strip For 10 mm Glass</b>	 PVC	PVC	3000mm	OPK- A410	
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	 8 pcs Each Door Nickel Plated	Nickel Plated	-	04-099-100-007	


or



## ASSEMBLY KIT

COMPLICATED?

THAT WAS YESTERDAY.



- 01. Extended bit to connect the aluminium frames.
- 02. Drilling pattern to set the drilling points in the profiles.
- 03. Drill to make the holes in the profiles.

# opkDE FW SWING DOOR WITH EXPOSED DOOR OPENING FRAME



## Door, Accessories



<b>Up/Bottom Frame</b>		Anodized aluminium	6000mm	OPK- A2100-46	ON DEMAND
<b>Vertical Frame</b>		Anodized aluminium	6000mm	OPK- A2101-46	ON DEMAND
<b>Vertical Frame Cover</b>		Anodized aluminium	6000mm	04-000-117-113	ON DEMAND
<b>Vertical Frame Accessories</b>		Anodized aluminium	6000mm	04-000-118-004	ON DEMAND
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	<p><b>16 pcs Each Door</b></p>	Nickel Plated	-	04-099-100-007	
<b>1.8x3.3 Rubber Strip</b>		Rubber	2000m/Roll	04-099-100-021	



## ASSEMBLY KIT

COMPLICATED?  
THAT WAS YESTERDAY.



- 01. Extended bit to connect the aluminium frames.
- 02. Drill to make the holes in the profiles.

# opkDE FW SWING DOOR WITH CONCEALED DOOR OPENING FRAME



## Door, Accessories



<b>Up/Bottom Frame</b>		Anodized aluminium	6000mm	OPK- A2130-62	ON DEMAND
<b>Vertical Frame</b>		Anodized aluminium	6000mm	OPK- A2129-62	ON DEMAND
<b>Vertical Frame Cover</b>		Anodized aluminium	6000mm	OPK- A2133-62	ON DEMAND
<b>Step Alu-profile for Rubber Strip</b>		Anodized aluminium	6000mm	OPK- A2131-62	ON DEMAND
<b>Bottom Step Alu-profile for Rubber Strip</b>		Anodized aluminium	6000mm	OPK- A2131-62	ON DEMAND
<b>Distance Block for Bottom Step Alu-profile</b>	 <b>6 pcs Each Door</b>	Plastic	-	P0125-027	ON DEMAND
<b>Internal Hexagon Self-Tapping Screw - M4X18</b>	 <b>20 pcs Each Door</b>	Nickel Plated	-	04-099-100-007	
<b>1.8x3.3 Rubber Strip</b>		Rubber	2000m/Roll	OPK- A402	ON DEMAND
<b>9.2X9.9 Rubber Strip</b>		Rubber	200m/Roll	OPK- A439	ON DEMAND



## ASSEMBLY KIT

COMPLICATED?

THAT WAS YESTERDAY.









01. Extended bit to connect the aluminium frames.

02. Drill to make the holes in the profiles.







## opk PERFECT FG SWING DOOR Door Opening Cover, Accessories



<b>Half Door Opening Cover</b>		<i>Anodized aluminium</i>	6000mm	OPK-A392	ON DEMAND
<b>Fixing Bracket For Door Opening Cover</b>		<i>Galvanized Plate</i>	-	OPK-A504	ON DEMAND
<b>Cross Head Self-Tapping Screw ST4*10</b>		<i>Nickel Plated</i>	-	OPK-A516	ON DEMAND
<b>Buffer Rubber Strip</b>		<i>Rubber</i>	250m/Roll	OPK-A416	ON DEMAND
<b>Adjust Top Screw</b>		<i>Nickel Plated</i>	-	OPK-A520	ON DEMAND
<b>Adjust Top Screw Rubber Washer</b>		<i>Plastic</i>	-	OPK-A521	ON DEMAND

## opkDE FW SWING DOOR WITH EXPOSED DOOR OPENING FRAME Door Opening Cover, Accessories






<b>Half Door Opening Cover</b>		<i>Anodized aluminium</i>	6000mm	OPK-3101-46	ON DEMAND
<b>Closing Profile for Door Opening Cover</b>		<i>Anodized aluminium</i>	6000mm	OPK-3102-62	ON DEMAND
<b>9X9.7 Rubber Strip</b>		<i>Rubber</i>	-	OPK-A432	ON DEMAND
<b>Corner Connector</b>		<i>Galvanized Plate</i>	2 pcs Each Door	OPK-A506	ON DEMAND
<b>Cross Head Self-Tapping Screw ST4.2*30</b>		<i>Nickel Plated</i>	30 pcs Each Door	140418	ON DEMAND
<b>Plastic Dowel</b>		<i>Plastic</i>	30 pcs Each Door	137125	ON DEMAND

# opkDE FW SWING DOOR WITH CONCEALED DOOR OPENING FRAME



## Door Opening Cover, Accessories








<b>Half Door Opening Cover</b>		Anodized aluminium	6000mm	OPK-3100-62	ON DEMAND
<b>Closing Profile for Door Opening Cover</b>		Anodized aluminium	6000mm	OPK-3102-62	ON DEMAND
<b>9.2X9.9 Rubber Strip</b>		200m/Roll	-	OPK-A439	ON DEMAND
<b>Corner Connector</b>		Galvanized Plate	2 pcs Each Door	OPK-A506	ON DEMAND
<b>Cross Head Self-Tapping Screw ST4.2*30</b>		Nickel Plated	30 pcs Each Door	140418	ON DEMAND
<b>Plastic Dowel</b>		Plastic	30 pcs Each Door	137125	ON DEMAND
<b>Fixing Bracket for Door Opening Cover</b>		Sand Blasting	15 pcs Each Door	XJA661	ON DEMAND
<b>Inner-hexagon Screw</b>		Nickel Plated	30 pcs Each Door	121256	ON DEMAND

## opk PERFECT FG SWING DOOR

### Fitting, Accessories












<b>Pivot Hinge Base</b>		2	<b>Base Fixing Block</b>		1
<b>Corner Connector</b>		2	<b>Hinge Base</b>		1
<b>Corner Connector</b>		1			

## opkDE FW SWING DOOR WITH EXPOSED DOOR OPENING FRAME

### Fitting, Accessories



or	<b>Top Pivot Hinge (Left Inward Opening)</b>		1	<b>Bottom Pivot Adjusting Base</b>		1
	<b>Top Pivot Hinge (Right Inward Opening)</b>		1	<b>Top Pivot Bushing</b>		1
or	<b>Bottom Pivot Hinge (Left Inward Opening)</b>		1	<b>Corner Connector for Top Pivot</b>		1
	<b>Bottom Pivot Hinge (Right Inward Opening)</b>		1	<b>Fixing Corner Connector for Door Opening Frame</b>		2
				<b>Corner Connector for Door Opening Frame</b>		1

# opkDE FW SWING DOOR WITH CONCEALED DOOR OPENING FRAME




## Fitting, Accessories

or	Top Pivot Hinge (Left Inward Opening)		1	Bottom Pivot Adjusting Base		1
	Top Pivot Hinge (Right Inward Opening)		1	Top Pivot Bushing		1
or	Bottom Pivot Hinge (Left Inward Opening)		1	Corner Connector for Top Pivot		1
	Bottom Pivot Hinge (Right Inward Opening)		1	Fixing Corner Connector for Door Opening Frame		2
				Corner Connector for Door Opening Frame		1


## opk PERFECT **FG** SWING DOOR Lock, Accessories



<p>Handle Lock</p>	 <p>04-010-100-106</p>	<p>1</p>
--------------------	--	----------

## opkDE **FW** SWING DOOR WITH EXPOSED DOOR OPENING FRAME Lock, Accessories




<p>Handle Lock</p>		<p>1</p>
--------------------	--	----------

ON DEMAND

# opkDE **FW** SWING DOOR WITH CONCEALED DOOR OPENING FRAME



## Lock, Accessories

<p>Handle Lock</p>		<p>1</p>
--------------------	--	----------

ON DEMAND

# opk PERFECT HIDDEN DOOR

## Content

### opk PERFECT HIDDEN DOOR

Technical Drawing

**FG** Kit Configuration

**W** Kit Configuration













**FW** Kit Configuration

**FD** Kit Configuration

Door, Accessories

Door Opening Cover, Accessories





		 ≥600mm
		 FG 40mm W 45mm FW 46.5mm FD 46.5mm
 80		
		 FG 8-11mm FW 5mm FD 5mm
		

# opk PERFECT FG HIDDEN DOOR



	Door weight	Door width	Door thickness	Glass thickness
FG	≤80	≥600	40	8-11

## Technical Drawing






# opk PERFECT W/FW/ FD HIDDEN DOOR



	Door weight	Door width	Door thickness	Glass/Wooden thickness
W	≤80	≥600	45	-
FW	≤80	≥600	46.5	5
FD	≤80	≥600	46.5	5

## Technical Drawing





# opk PERFECT FG HIDDEN DOOR

## Left / Right Opening Door

### Kit Configuration



Left / Right  
Opening Door

<p>Left / Right Opening Door Kit</p>		<p>04-000--113-003</p>	<p>1</p>
--	--	------------------------	----------



# opk PERFECT **W** HIDDEN DOOR


## Left / Right Opening Door

### Kit Configuration



Left / Right  
Opening Door


<p>Left / Right Opening Door Kit</p>		<p>04-000-113-W02</p>	<p>1</p>	<p>ON DEMAND</p>
--	--	-----------------------	----------	------------------



# opk PERFECT FW HIDDEN DOOR

## Left / Right Opening Door

### Kit Configuration



Left / Right  
Opening Door

<p>Left / Right Opening Door Kit</p>		<p>-----</p>	<p>1</p>
--	--	--------------	----------


ON DEMAND



# opk PERFECT **FD** HIDDEN DOOR

## Left / Right Opening Door

### Kit Configuration



Left / Right  
Opening Door

<p>Left / Right Opening Door Kit</p>		<p>-----</p>	<p>1</p>
--	--	--------------	----------

ON DEMAND

# opk PERFECT PIVOT DOOR & ECCENTRIC PIVOT DOOR

## Content

**opk PERFECT PIVOT DOOR &  
ECCENTRIC PIVOT DOOR**

**Technical Drawing**

**Pivot Door Kit Configuration**

**Eccentric Pivot Door Kit Configuration**

**Tracks, Accessories**

**Door, Accessories**



			600-1600mm
			FG 40mm W 45mm FW 46.5mm FD 46.5mm
			FG 8-11mm FW 5mm FD 5mm



80

## opk PERFECT FG PIVOT DOOR




### Technical Drawing

	Door weight	Door width	Door thickness	Glass thickness
FG	≤80	600-1600	40	8-11





## opk PERFECT W/FW/FD PIVOT DOOR



### Technical Drawing

	Door weight	Door width	Door thickness	Glass/Wooden thickness
W	≤80	600-1600	45	-
FW	≤80	600-1600	46.5	5
FD	≤80	600-1600	46.5	5





# opk PERFECT FG ECCENTRIC PIVOT DOOR



## Technical Drawing

	Door weight	Door width	Door thickness	Glass thickness
FG	≤80	600-1200	40	8-11





# opk PERFECT W/FW/ FD ECCENTRIC PIVOT DOOR



## Technical Drawing

	Door weight	Door width	Door thickness	Glass/Wooden thickness
W	≤80	600-1200	45	-
FW	≤80	600-1200	46.5	5
FD	≤80	600-1200	46.5	5







# opk PERFECT FG PIVOT DOOR



## Kit Configuration



<p><b>opk Perfect FG Pivot Door Kit</b></p>		<p>04-000-114-001</p>	<p>1</p>	<p>2</p>	<p>3</p>	<p>N</p>
---	--	-----------------------	----------	----------	----------	----------

# opk PERFECT W PIVOT DOOR



## Kit Configuration



<p><b>opk Perfect W Pivot Door Kit</b></p>		<p>101102300010</p>	<p>1</p>	<p>2</p>	<p>3</p>	<p>N</p>
--	--	---------------------	----------	----------	----------	----------

ON DEMAND

# opk PERFECT FW PIVOT DOOR



## Kit Configuration



<p>opk Perfect FW Pivot Door Kit</p>		<p>101102300008</p>	<p>1</p>	<p>2</p>	<p>3</p>	<p>N</p>	<p>ON DEMAND</p>
--------------------------------------	--	---------------------	----------	----------	----------	----------	------------------

# opk PERFECT FD PIVOT DOOR



## Kit Configuration



<p>opk Perfect FD Pivot Door Kit</p>		<p>04-000-117-017</p>	<p>1</p>	<p>2</p>	<p>3</p>	<p>N</p>	
--------------------------------------	--	-----------------------	----------	----------	----------	----------	--

# opk PERFECT **FG** ECCENTRIC PIVOT DOOR Kit Configuration



<p><b>opk Perfect FG Eccentric Pivot Door Kit</b></p>		<p>04-000-114-001</p>	<p>1</p>	<p>2</p>	<p>3</p>	<p>N</p>
---	--	-----------------------	----------	----------	----------	----------


# opk PERFECT **W** ECCENTRIC PIVOT DOOR Kit Configuration



<p><b>opk Perfect W Eccentric Pivot Door Kit</b></p>		<p>101102300011</p>	<p>1</p>	<p>2</p>	<p>3</p>	<p>N</p>
--	--	---------------------	----------	----------	----------	----------

ON DEMAND

# opk PERFECT FW ECCENTRIC PIVOT DOOR



## Kit Configuration



<p><b>opk Perfect FW Eccentric Pivot Door Kit</b></p>		<p>101102300009</p>	<p>1</p>	<p>2</p>	<p>3</p>	<p>N</p>	<p>ON DEMAND</p>
---	--	---------------------	----------	----------	----------	----------	------------------

# opk PERFECT FD ECCENTRIC PIVOT DOOR



## Kit Configuration



<p><b>opk Perfect FD Eccentric Pivot Door Kit</b></p>		<p>04-000-117-017</p>	<p>1</p>	<p>2</p>	<p>3</p>	<p>N</p>	
---	--	-----------------------	----------	----------	----------	----------	--

## **opk PERFECT HANDLE**





**PerfectRound Handle 1 (∅135)**

04-010-100-102



**PerfectRound Handle 1 (∅110)**

04-010-100-101



**PerfectShip-shaped Handle 1**

04-010-100-104



**PerfectU-shaped Handle 1**

04-010-100-103



**PerfectFW Door Handle**


04-010-100-111



ON DEMAND

ON DEMAND

**OPTIONAL COLORS**



**opk** SYSTEM

Sliding Door & Window  
System Expert

OPK EUROPE GMBH  
Antwerpener Straße 4a,  
53842 Troisdorf  
Mobil : +497451622640  
Email : [info@opk-europe.com](mailto:info@opk-europe.com)  
Website : [www.opkeurope.com](http://www.opkeurope.com)  
Instagram : [@opk\\_europe](https://www.instagram.com/opk_europe)  
Linkedin : OPK Europe GmbH  
YouTube : [@opkeuropegmbh](https://www.youtube.com/@opkeuropegmbh)